

# (11) **EP 0 731 582 A3**

(12)

#### **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3: 25.06.1997 Bulletin 1997/26

(51) Int Cl.6: **H04L 12/46** 

(43) Date of publication A2:11.09.1996 Bulletin 1996/37

(21) Application number: 96301481.6

(22) Date of filing: 05.03.1996

(84) Designated Contracting States: **DE ES FR GB** 

(30) Priority: 10.03.1995 US 402235

(71) Applicant: AT&T IPM Corp.
Coral Gables, Florida 33134 (US)

(72) Inventors:

 Chang, Tian-Pong Peter Holmdel, New Jersey 07733 (US) Saksena, Vikram R.
 Freehold, New Jersey 07728 (US)


Civanlar, Seyhan
 Red Bank, New Jersey 07701 (US)

(74) Representative:

Watts, Christopher Malcolm Kelway, Dr. et al Lucent Technologies (UK) Ltd, 5 Mornington Road Woodford Green Essex, IG8 0TU (GB)

### (54) Method and apparatus for interconnecting lans

(57)A so-called "ELAN contronect network" is employed to interconnect sub-ELANs to form an ELAN. More specifically, the "ELAN contronect network" is a separate network for interconnecting the servers of the sub-ELANs, where a sub-ELAN is a part of an ELAN having its own LES and BUS that may also be configured as a stand-alone ELAN. Each of the sub-ELANs is connected to the ELAN contronect network via a pointto-point connection-oriented connection, e.g., an asynchronous transfer mode (ATM) connection and the ELAN contronect network is configured to present itself to each of the servers of the sub-ELANs as clients thereof. In a particular embodiment of the invention, the ELAN contronect network includes an address server, a broadcast/route server, a configuration server, multimedia servers, and at least one LAN hub interconnected over a high-speed backbone. The address server contains an address data base for performing address resolution between the at least two addresses of each ELAN endpoint in response to requests for such translations. The broadcast/route server receives data packets for broadcast to a different sub-ELAN from which the packets originated and broadcasts the received data packets to at least one other sub-ELAN. The broadcast/route server also recognizes that a packet which is a broadcast packet at layer 2 is actually a request for an address resolution at layer 3. If so, the broadcast/route server collaborates with the address server to perform the necessary address resolution and insures that a response is sent only to the client originating the request.





## **EUROPEAN SEARCH REPORT**

Application Number EP 96 30 1481

Category	Citation of document with i of relevant pa	ndication, where appropriate, ssages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
X	DATA COMMUNICATIONS, vol. 23, no. 12, 1 September 1994, pages 66-70, 72, 74, 76, 78, 80, XP000462385 "SWITCHED VIRTUAL NETWORKS INTERNETWORKING MOVES BEYOND BRIDGES AND ROUTERS"		1-4,6, 8-16,20, 21	H04L12/46
′	* the whole document *		5	
(	IEEE COMMUNICATIONS vol. 32, no. 3, 1 M pages 86-98, XP0004 NEWMAN P: "ATM LOC * the whole documer	larch 1994, 42191 :AL AREA NETWORKS"	1-4,6, 8-21	
<b>'</b>	IEEE MULTIMEDIA, vol. 1, no. 1, 21 M pages 37-46, XP0004 RAMANATHAN S ET AL: PERSONALIZED MULTIM * page 42, right-ha line 49 *	40887 "ARCHITECTURES FOR	5	TECHNICAL FIELDS SEARCHED (Int.Cl.6)
4	DATA COMMUNICATIONS, vol. 23, no. 13, 21 September 1994, pages 95-98, 100, XP000465391 JEFFRIES R: "ATM LAN EMULATION: THE INSIDE STORY THE ATM FORUM'S LAN EMULATION SERVICE MAKES IT POSSIBLE TO SHIP UPPER-LAYER PROTOCOLS OVER ATM CONNECTIONS WITHOUT MODIFYING LEGACY SOFTWARE" * the whole document *			H04L
	The present someh report has i	oen drawn up for all claims		
	Place of search	Date of completion of the search	1	Examiner
	THE HAGUE	9 December 1996	PER	REZ PEREZ J. C.
X : par Y : par doc A : tecl	CATEGORY OF CITED DOCUME ticularly relevant if taken alone ticularly relevant if combined with an ument of the same category anological background written disclosure	E : earlier patent after the filing other D : document cite L : document cite	d in the application I for other reasons	ished on, or

P: intermediate document

member of the same patent family, corresponding document



CL	AIMS INCURRING FEES
The present	European patent application comprised at the time of filling more than ten claims.
	All claims fees have been paid within the prescribed time limit. The present European search report has been drawn up for all claims.
	Only part of the claims fees have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims and for those claims for which claims fees have been paid.
	namely claims:
	No claims fees have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims.
LA	CK OF UNITY OF INVENTION
	Division considers that the present European patent application does not comply with the requirement of unity of id relates to several inventions or groups of inventions.
800	sheet B.
366	sheet B.
	All further search fees have been paid within the fixed time limit. The present European search report has been drawn up for all claims.
	Only part of the further search fees have been paid within the fixed time limit. The present European search
	report has been drawn up for those parts of the European patent application which relate to the inventions in respect of which search fees have been paid,
	namely claims:
X	None of the further search fees has been paid within the fixed time limit. The present European search report
<b>,</b> ,	has been drawn up for those parts of the European patent application which relate to the invention first mentioned in the claims,
	namely claims: \- 21



European Patent Office

EP 96301481.6 -B-

#### LACK OF UNITY OF INVENTION

The Search Division considers that the present European patent application does not comply with the requirement of unity of invention and relates to several inventions or groups of inventions.

- 1. Claims 1-21 : Apparatus for interconnecting a plurality of sub-emulated local area networks
- 2. Claim 22 : A method for handling a layer-3 packet containing a broadcast indication at layer-2